INDEX TO VOLUME 106

Names of contributors and of authors of books reviewed are printed in CAPITALS. Titles in quotes, standing alone, are of contributed papers. Titles in *italic*, standing alone, are of books reviewed. Names of new genera, species, varieties, and combinations are printed in **bold face.** Numbers in **bold face** refer to pages where such a name is accompanied by a description or illustration. Numbers in *italic* refer to pages on which a name is listed as a synonym. Page number for a plant entity is given for only the first time it appears in any one article.

"A description of the woody vegetation of oak-hickory forest in the Northern Ozark Highlands," 117.

"A floristic survey of the vascular plants of the Bronx River Park in Westchester County, N.Y. Supplement, 1977–1978," 46.

"A new species of *Dichapetalum* from Suriname," 309.

"A new species of *Physcia* from Antarctica," 262.

"A vascular flora of the forested portion of Cunningham Park, Queens County, New York: Corrections and Additions," 45.

Abronia latifolia, 9.

abscisic acid: effects on morphogenesis of cultured barley embryos, 110.

Acer circinatum, 223; *negundo*, 226; *pensylvanicum*, 222; *rubrum*, 223; in Cedar Bog, Ohio, 290; *spicatum*, 223.

Agave scabra, 209; *virginica*, 177.

Agropyron trachycaulum, salt tolerance in roadside populations, 131.

Agrostis hiemalis, (Walt.) B.S.P. (Gramineae), dual dispersal modes in hairgrass, 32.

Alaska, *Zannichellia palustris* along coast of, 346.

Allelopathic potential, comparison, for four marsh species, 217.

"Allozyme studies in *Chenopodium incanum:* Intraspecific variation and comparison with *Chenopodium fremontii*," 257.

Almeda, Frank, Jr.: A new Costa Rican species of *Clidemia* (Melastomataceae), 189.

Alnus: serological investigation of, 97.

Ambrosia artemisiifolia, 221; in old field succession, 299; *bipinnatisecta*, 9; *chamissonis*, 9; *psilostachya*, 220; *trifida;* sp., 195.

ammonium ion: effects on morphogenesis of cultured barley embryos, 110.

Ammophila arenaria, 9.

"An addition to the Flora of Rockland County, New York," 349.

"An electrophoretic study of *Capsicum* (Solanaceae): The purple flowered taxa," 326.

Anacardiaceae, northeastern North America, pollen morphology of, 140.

Annonaceae, *Polyalthia*, phloem longevity of, 182.

Antarctica, a new species of *Physcia* found in, 262.

"Apparent fire-stimulated germination of *Rhus typhina* seeds," 41.

Araceae, *Peltandra*, in New Jersey, 193.

Aristida longespica, 177.

Arnold, Stephen L.: (Review), 237.

Arrow Arum (*Peltandra virginica*); the distribution of seeds, seedlings, and established plants of, in a freshwater tidal wetland, 193.

Aster divaricatus, in oak-dominated community of Forest Park, Queens County, New York, 135; *pilosus*, in old field succession, 299.

"Atlas of foliar surface features in woody plants, I. Vestiture and trichome types of Eastern North American *Quercus*," 313.

Atriplex canescens, 32; *leucophylla*, California beach plant, 9.

Austin, Daniel F.: Comments on Cuscuta—collectors and curators, 227.

Bangia atropurpurea, occurrence of, Lake Ontario, 43.

Barbarea vulgaris, in old field succession, 300.

barley embryos, callus formation, early differentiation, 85.

barley embryos: abscisic acid and ammonium ion effects on, 110.

Barbour, M. G.: (See DeJong, T. M.), 9.

Baskin, Carol C.: (see Baskin, J. M.), 47; 176; (see Threadgill, P. F.), 185.

Baskin, Jerry M.: (see Threadgill, Paul F.), 185.

Baskin, Jerry M. and Carol C. Baskin: *Liatris mucronata* DC. in Kentucky – A misidentification, 47.

Baskin, Jerry M. and Carol C. Baskin: The ecological life cycle of the cedar glade endemic *Lobelia gattingeri*, 176.

Becker, Herman F: (Review), 146.

Bernard, J. M. and Melissa Fitz: Seasonal changes in above ground primary production and nutrient contents in central New York *Typha glauca* ecosystem, 37.

Bernhardt, Peter: (Review), 234.

Betula, serological investigation of, 97.

Betula lenta: in oak-dominated community of Forest Park, Queens County, New York, 135.

Bidens laevis, 217.

"Biomass accumulation and reproduction in *Erythronium albidum*," 276.

Biomass, *Erythronium albidum*, accumulation and reproduction of, 276.

Bonasera, J., J. Lynch and Mary A. Leck: Comparisons of the allelopathic potential of four marsh species, 217.

Bothriocline, chromosome numbers of, 80.

Bratton, S. P.: (see Lindsay, M. M.), 264.

Bringhurst, R. S.: (see Hancock, J. F., Jr.), 229.

Bronx River Park, Westchester County, New York; A floristic survey of the vascular plants, 46.

Brunner, Friedrich and David E. Fairbrothers: Serological investigation of the Corylaceae, 97.

Cakile maritima, 9.

Calhoon, Robert E.: (see Greller, A. M.), 135.

"Callus formation of cultured early differentiating barley embryos," 85.
Capsicum, an electrophoretic study of, 326.
Capsicum cardenasii, 326; *eximium*, 326; *pubescens*, 326; *tovari*, 326.
Carex lacustris, 39; *lyngbyei*, in Alaska, 346.
Carpinus, serological investigation of, 97.
Carya spp., 207.
Ceanothus, 214.
Cedar Bog, Ohio, tree species dynamics in an arbor vitae association, 290.
Cedar glade endemic; the ecological life cycle of *Lobelia gattingeri*, 176.
Centratherum, chromosome numbers of, 80.
Chamaecyparis thyoides stand, herbaceous production in cut-burned, uncut-burned and control areas of, 20.
Chaudhari, H. K.: The production and performance of doubled haploids of cotton, 123.
Chenopodium fremontii, 257; *incanum*, 257; *incanum* var. *elatum*, 257; var. *occidentale*, 257.
Chenopodium fremontii, intraspecific variation and comparison with *Chenopodium incanum*, 257.
Chenopodium incanum, allozyme studies in: Intraspecific variation and comparison with *Chenopodium fremontii*, 257.
"Chromosome numbers of Vernonieae (Compositae)," 79.
"Chromosome races, in *Lophopogon tridentatus*," 174.
Clausen, Robert T.: *Sedum* in six areas of the Mexican Cordilleran Plateau, 205.
Clidemia cutucuensis, 191; *diffusa*, 191; ***utleyana***, a new Costa Rican species, 189.
Cockerline, Alan W.: (see Granatek, C. H.), 85.
Collectors and curators; comments on *Cuscuta* for, 227.
Collins, Scott L., John L. Vankat, and Janice V. Perino: Potential tree species dynamics in the Arbor-vitae association of Cedar Bog, a west-central Ohio fen, 290.
"Comments on *Cuscuta*—For collectors and curators," 227.
"Comparison of the allelopathic potential of four marsh species," 217.
Compositae, new species of *Dubautia* in, 1.
"Contributions to the biology of *Atriplex leucophylla*, a C_4 Californian beach plant," 9.
Corylaceae, serological investigation of, 97.
Corylus, serological investigation of, 97.
Cornus florida: in oak-dominated community of Forest Park, Queens County, New York, 135.
Costa Rica, a new species of *Clidemia* from, 189; leaf margin variation with respect to climate, 104.
Cotinus obovatus (Anacardiaceae), 141.
Cotton, doubled haploids, production and performance of, 123.
Crawford, Daniel J.: Allozyme studies in *Chenopodium incanum:* Intraspecific variation and comparison with *Chenopodium fremontii*, 257.
Croton monanthogynus, 177.
Crow, John H.: Distribution and ecological characteristics of *Zannichellia palustris* L. along the Alaska Pacific coast, 346.
Cuscuta sp., 217; *coryli*, 228; *obtusiflora*, 228; *polygonorum*, 228.
Damann, Kenneth E.: Occurrence of the red alga *Bangia atropurpurea* in Lake Ontario, 43.
Day, Frank P., Jr.: (see McKinley, C.), 20.
De Jong, Theodore M.: Contributions to the biology of *Atriplex leucophylla*, a C_4 Californian beach plant, 9.
Delaware River, *Peltandra* in Hamilton Marsh by, 193.
Delphinium virescens, 176.
Dichapetalum ***schulzii***, a new species from Suriname, 309.
Dioecious populations of *Fragaria chiloensis*, hermaphroditism in, 229.
Dipsacus sylvestris, 187.
"Dispersion and co-dispersion in Oklahoma upland forests," 200.
"Distribution and ecological characteristics of *Zannichellia palustris* L. along the Alaska Pacific coast," 346.
"Distribution of seeds, seedlings, and established plants of Arrow Arum (*Peltandra virginica*) in a fresh water tidal wetland," 193.
Distyly, morphological nature of, in *Lythrum*, 4.
Dodge, Carroll W.: A new species of *Physcia* from Antarctica, 262.
Dolph, Gary E.: Variation in leaf margin with respect to climate in Costa Rica, 104.
"Dual dispersal modes in hairgrass, *Agrostis* hiemalis (Walt.) B.S.P. (Gramineae)," 32.
Dubautia Knudsenii, 3; ***Nagatae***, a new species from Hawaii, 1.
Echeveria secunda, 208.
"Ecological life cycle, of the cedar glade endemic *Lobelia gattingeri*," 176.
Ecology, 237.
"Effects of abscisic acid and ammonium ion on morphogenesis of cultured barley embryos, 110.
Electrophoretic study of *Capsicum*, 326.
Eleocharis compressa, 177.
Elephantopus, Chromosome numbers of, 80.
Emery, W. H. P. and M. N. Guy: Reproduction and embryo development in Texas wildrice (*Zizania texana* Hitchc.), 29.
Erigeron strigosus, 176.
Erlangea, chromosome numbers of, 80.
Erythronium albidum, biomass accumulation and reproduction of, 276.
Eshbaugh, W. Hardy: (see McLeod, M. J.), 326.
Ethulia, chromosome numbers of, 80.
Fairbrothers, David E.: (see Brunner, F.), 97.
Fisher, Burnell C.: (see Hibbs, D. E.), 222.
Fitz, Melissa L.: (see Bernard, J. M.), 37.
Floodplain, Raritan River, New Jersey, forest development in relation to topography and soil, 334.
Flowering Plants of Massachusetts, 233.
Flowering Tropical Climbers, 354.
"Forest development in relation to topography and soils on a floodplain of the Raritan River, New Jersey," 334.
Forest development of the floodplain of the Raritan River, New Jersey, 334.

Fragaria chiloensis, 229; *F. virginiana* ssp. *glauca*, 230.
Frankel, Edward: A floristic survey of the vascular plants of the Bronx River Park in Westchester County, N.Y., supplement 1977–1978, 46.
Frasera caroliniensis (Gentianaceae), 185.
Fraxinus nigra, in Cedar Bog, Ohio, 290.
Freshwater tidal wetland, the distribution of seeds, seedlings, and established plants of Arrow Arum (*Peltandra virginica*) in, 193.
Frye, Richard J. and James A. Quinn: Forest development in relation to topography and soils on a floodplain of the Raritan River, New Jersey, 334.
Gentianaceae, *Frasera*, ecology of, 185.
"Geographical ecology of *Frasera caroliniensis*," 185.
Ghouse, A. K. M. and Shamima Hashmi: Longevity of phloem in *Polyalthia longifolia* Benth. & Hook., 182.
Glyceria maxima, 39.
Gossypium barbadense, *hirsutum*, doubled haploids, production and performance of, 123.
Gramineae, *Agrostis*, 32; *Lophopogon tridentatus*, 174.
Granatek, Christine H. and Alan W. Cockerline: Callus formation of cultured early differentiating barley embryos, 85.
Grassy balds and other high elevation areas, Great Smoky Mountains National Park, vegetation of, 264.
Great Dismal Swamp, Virginia, herbaceous production in *Chamaecyparis* forest of, 20.
Great Smoky Mountains National Park, vegetation of grassy balds of, 264.
Greller, Andrew M.: A vascular flora of the forested portion of Cunningham Park, Queens County, New York: Corrections and Additions, 45.
Greller, Andrew M. Robert E. Calhoun, and Esther Iglich: The upland, oak-dominated community of Forest Park, Queens County, New York, 135.
Grindelia lanceolata, 177.
Gutenbergia, chromosome numbers of, 80.
Guttman, Sheldon I.: (see McLeod, M. J.), 326.
Guy, Michael N.: (see Emery, W. H. P.), 29.
Hancock, J. F., Jr. and R. S. Bringhurst: Hermaphroditism in predominately dioecious populations of *Fragaria chiloensis*, 229.
Hardin, James W.: Atlas of foliar surface features in woody plants, I. Vestiture and trichome types of Eastern North American *Quercus*, 313.
Hashmi, S.: (see Ghouse, A. K. M.), 182.
Hawaii, Plant studies; a new *Dubautia*, 1.
Helianthus annuus, 221.
Hellmann, Robert A.: (Review), 353.
"Herbaceous production in cut-burned, uncut-burned and control areas of a *Chamaecyparis thyoides* (L) BSP (Cupressaceae) stand in the Great Dismal Swamp," 20.
"Hermaphroditism in predominately dioecious populations of *Fragaria chiloensis*," 229.
Hibbs, David E. and Burnell C. Fisher: Sexual and vegetative reproduction of striped maple (*Acer pensylvanicum* L.), 222.
Hippurus tetraphylla, in Alaska, 346.
Hordeum distichum, barley embryos, early differentiating of callus formation, 85.
Hordeum vulgare, cultured barley embryos, abscisic acid and ammonium ion effects on, 110.
Houstonia lanceolata, 177; *H. nigricans*, 177,
Ibe, Ralph A. and Robert A. Leis: Pollen morphology of the Anacardiaceae of northeastern North America, 140.
Iglich, Esther: (see Greller, A. M.), 135.
Impatiens capensis, 217.
India, Mysore, *Lophopogon tridentatus* in, 174.
"Inhibition of nitrifying bacteria, nitrification and mineralization in spoil soils as related to their successional stages," 284.
Iraq; a note on *Vaucheria longicaulis* Hoppaugh from, 167.
Isanthus brachiatus, 177.
Islam, Nurul A. K. M.: *Vaucheria longicaulis* Hoppaugh from Iraq with a note on the species, 167.
Isoetes butleri, 176.
Jones, Samuel B., Jr.: Chromosome numbers of Vernonieae (Compositae), 79.
Juglans major, 211.
Juniperus, 211; *monosperma*, 201.
Keever, Catherine: Mechanisms of plant succession on old fields of Lancaster County, Pennsylvania, 299.
Kellog, Dale L.: (see Pitelka, L. F.), 131.
Lake Ontario, occurrence of *Bangia atropurpurea* in, 43.
Lancaster County, Pennsylvania, old field succession, 299.
leaf margin, variation with respect to climate, 104.
Leck, Mary A.: (see Bonasera, J.), 217; (see Whigham, D. F.), 193.
Lehr, J. Harry: An addition to the Flora of Rockland County, New York, 349.
Leis, Robert A.: (see Ibe, R. A.), 140.
"*Liatris mucronata* DC. in Kentucky—A misidentification," 47; *spicata*, 47.
Lindsay, M. M. and S. P. Bratton: The vegetation of grassy balds and other disturbed areas in the Great Smoky Mountains National Park, 264.
Liriodendron tulipifera, in Cedar Bog, Ohio, 290.
Lobelia gattingeri, 176.
Lodhi, M. A. K.: Inhibition of nitrifying bacteria, nitrification and mineralization in spoil soils as related to their successional stages, 284.
Lonicera japonica, in old field succession, 299.
Lophopogon tridentatus (Gramineae), 174.
Lynch, J.: (see Bonasera, J.), 217.
Lythraceae, distyly and tristyly in, 4.
Lythrum californicum, 5; *curtissii*, 4; *junceum*, 4; *lineare*, 5; sp., 196.
Lythrum section Euhyssopifolia, distyly in, 4.
Marks, P. L.: Apparent fire-stimulated germination of *Rhus typhina* seeds, 41.
Marsh species, comparison of the allelopathic potential of four, 217.
McKinley, Carol E. and F. P. Day, Jr.: Herbaceous production in cut-burned, uncut-burned, and control areas of a *Chamaecyparis thyoides* (L) BSP (Cupressaceae) stand in the Great Dismal Swamp, 20.

McLeod, Michael J., W. Hardy Eshbaugh, and Sheldon I. Guttman: An electrophoretic study of Capsicum (Solanaceae): The purple flowered taxa, 326.
"Mechanisms of plant succession on old fields of Lancaster County, Pennsylvania," 299.
Mexico, Cordilleran Plateau, *Sedum* species in six areas of, 205.
Mineralization and nitrification, nitrifying bacteria, in spoil soils as related to successional stages, 284.
Missouri, Ozark Northern Highlands, oak-hickory forest in, 117.
Muller, Robert N.: Biomass accumulation and reproduction in *Erythronium albidum*, 276.
Muschleria, chromosome numbers of, 80.
Myriophyllum spicatum, in Alaska, 346.
Nesaea, distyly and tristyly in, 4.
New Jersey, Hamilton Marsh, *Peltandra* in, 193; Raritan River, floodplain forest development of, 334.
New York, central, seasonal changes in aboveground primary production and nutrient contents in *Typha glauca* ecosystem, 37; Cunningham Park, Queens County, A vascular flora of the forested portion of: Corrections and additions, 45; Queens County, Forest Park, upland forest of, 135; New York, Rockland County, *Panicum linearifolium* in, 349; Westchester County, floristic survey, supplement, 46.
Nitrification and mineralization, nitrifying bacteria, in spoil soils as related to successional stages, 284.
Nitrifying bacteria, nitrification and mineralization in soils related to their successional stages, 284.
Norstog, Knut: (see Umbeck, P. F.), 110.
Nuphar sp., 197.
Oak-hickory forest, woody vegetation of Ozark Northern Highlands, 117.
"Occurrence of the red alga *Bangia atropurpurea* in Lake Ontario," 43.
Ohio, tree species dynamics in an arbor-vitae association of Cedar Bog, 290.
Oklahoma, upland forests, dispersion and codispersion in, 200.
Ophioglossum engelmannii, 177.
Ornduff, Robert: The morphological nature of distyly in *Lythrum* section Euhyssopifolia, 4.
Ostrya, serological investigation of, 97.
Ozark Northern Highlands, Missouri, oak-hickory forest in, 117.
Panicum capillare, 177; *linearifolium*, in Rockland County, New York, 349.
Pastinaca sativa, 187.
Peltandra virginica, 193; 217.
Pemphis, distyly in, 4.
Pennisetum macrostachyum, chromosomes, new basic number of, reproduction behavior of, 73.
Pennsylvania, old field succession in Lancaster County, 299.
Penstemon tenuiflorus, 177.
Perino, Janice V.: (see Collins, S. L.), 111.
Petalostemon gattingeri, 176.
Phloem longevity, in *Polyalthia longifolia*, 182.
Phragmites communis, 39.
Physica ***nakanishii***, a new species, from Antarctica, 262.
Picea chihuahuana, 205.
Pilea pumila, 217.
Pinus cembroides, 211; *echinata*, 201; *edulis*, 201; *greggii*, 214.
Pitelka, Louis F. and Dale L. Kellogg: Salt tolerance in roadside populations of two herbaceous perennials, 131.
Plant succession, of old fields in Pennsylvania, 299.
Plantago virginica, 176.
Platanus wrightii, 211.
"Pollen morphology of the Anacardiaceae of northeastern North America," 140.
Polyalthia longifolia (Annonaceae), longevity of phloem in, 182.
Polygonum arifolium, 217; sp. 217.
Potamogeton spp., in Alaska, 111.
"Potential tree species dynamics in the Arbor vitae association of Cedar Bog, a west-central Ohio fen," 290.
Prance, Ghillean T.: A new species of *Dichapetalum* from Suriname, 309.
Pratt, Joe D.: (Review), 354.
Preliminary Checklist of the Vascular Flora of Connecticut, 354.
Prunus avium: in oak-dominated community of Forest Park, Queens County, New York, 135; *serotina*, 225; in old field succession, 299.
Psoralea argophylla, 32; *subacaulis*, 176.
Quercus, Eastern North American, vestiture and trichome types of, 313; forest, in Mexico, 214.
Quercus alba, 225; *borealis* var. *maxima*, in oak-dominated community of Forest Park, Queens County, New York, 135; *marilandica*, 201; *stellata*, 201; *velutina*, in oak-dominated community of Forest Park, Queens County, New York, 135.
Quinn, James A.: (see Frye, R. J.), 334.
Rabinowitz, Deborah and J. K. Rapp: Dual dispersal modes in hairgrass, *Agrostis hiemalis* (Walt.) BSP (Graminae), 32.
Rapp, Jody K.: (see Rabinowitz, D.), 32.
Raritan River, New Jersey, forest development on floodplain of, 334.
Red alga, *Bangia Atropurpurea*, occurrence of, Lake Ontario, 43.
Reproduction and biomass accumulation of *Erythronium albidum*, 276.
"Reproduction and embryo development in Texas wild-rice (*Zizania texana* Hitchc.)," 29. Reproduction, of striped maple, sexual, 222; vegetative, 222.
"Reproduction behavior of *Pennisetum macrostachyum* Benth., and a new basic chromosome number in the genus *Pennisetum*," 73.
Rhus aromatica, 141; *copallina*, 41; 141; *glabra* 41; 141; *radicans*, 143; *toxicodendron*, 143; *typhina*, 141; in old field succession, 299; seeds, apparent fire-stimulated germination of, 41.
Risser, Paul G.: (see Sherwood, R. T. B.), 200.
Rubus allegheniensis: in oak-dominated community of Forest Park, Queens County, New York, 135; spp., in old field succession, 299.

Ruellia humilis, 176.
St. John, Harold: The new *Dubautia* ***Nagatae*** (Compositae) of Kauai. Hawaiian Plant Studies 78, 1.
"Salt tolerance in roadside populations of two herbaceous perennials," 131.
Sassafras albidum: in oak-dominated community of Forest Park, Queens County, New York, 135.
Satureja glabella, 176.
Scirpus validus, 220.
Scutellaria parvula, 176.
"Seasonal changes in aboveground primary production and nutrient contents in central New York *Typha glauca* ecosystem," 37.
Sedum alamosanum, 211; *bourgaei*, 216; *chihuahuense*, 205; ***globuliflorum***, 213; *greggii*, 208; *guadalajarnum*, 216; *havardii*, 205; ***latifilamentum***, 213; *madrense*, 210; *mellitulum*, 205; *moranense*, 208; *parvifolium*, 208; *parvum*, 205; *parvum dendroides*, 215; *parvum* ***diminutum***, 215; *parvum nanifolium*, 214; *praealtum*, 208; *pringlei*, 211; *reptans*, 205; *retusum*, 208; *rupestre*, 214; *stelliforme*, 205; *vinicolor*, 211; *wrightii*, 205; *wrightii* ***priscum***, 215.
Seeds, seedlings, and established plants of Arrow Arum (*Peltandra virginica*); distribution in a fresh water wetland, 193.
Senecio smallii, 176.
"Serological investigation of the Corylaceae," 97.
Setaria viridis, in old field succession, 299.
"Sexual and vegetative reproduction of striped maple (*Acer pensylvanicum*)," 222.
Shanthamma, C.: Chromosome races in *Lophopogon tridentatus* (Roxb.) Hack., 174.
Shanthamma, C.: Reproduction behavior of *Pennisetum macrostachyum* Benth., and a new basic chromosome number in the genus *Pennisetum*, 73.
Sherwood, Ross T. B. and Paul G. Risser: Dispersion and co-dispersion in Oklahoma upland forests, 200.
Simpson, Robert L.: (see Whigham, D. F.), 193.
Sisyrinchium albidum, 177.
Smilacina racemosa: in oak-dominated community of Forest Park, Queens County, New York, 135.
Solanaceae, *Capsicum*, an electrophoretic study of, 326.
Solidago juncea, salt tolerance in roadside populations, 131; *nemoralis*, in old field succession, 299.
Spiranthes cernua, 177.
Sporobolus vaginiflorus, 176.
Successional stages, nitrifying bacteria, nitrification and mineralization as related to, 284.
Suriname, *Dichapetalum* ***schulzii***, a new species from, 309.
Texas wild-rice (*Zizania texana* Hitchc.), reproduction and embryo development in, 29.
"The Ecology of Fossils," 146.
"The morphological nature of distyly in *Lythrum* section Euhyssopifolia," 4.
"The new *Dubautia* ***Nagatae*** (Compositae) of Kauai. Hawaiian Plant Studies 78," 1.
The Pollination of Flowers by Insects, 234.
"The production and performance of doubled haploids of cotton," 123.
"The vegetation of grassy balds and other high elevation disturbed areas in the Great Smoky Mountains National Park," 264.
"The upland, oak-dominated community of Forest Park, Queens County, New York," 135.
Threadgill, Paul F., Jerry M. Baskin, and Carol C. Baskin: Geographical ecology of *Frasera caroliniensis*, 185.
Thuja occidentalis, in Cedar Bog, Ohio, 290.
Topography and soils, Raritan River, New Jersey, forest development in relation to, 334.
Trees, Shrubs, and Vines for Attracting Birds—A Manual for the Northeast, 353.
Triplotaxis, chromosome numbers of, 80.
Typha angustifolia, 39; *glauca*, ecosystem, seasonal changes in aboveground primary production and nutrient contents, 37; 220; *latifolia*, 217; sp., 195.
Ulmus alata, 201.
Umbeck, Paul F. and Knut Norstog: Effects of abscisic acid and ammonium ion on morphogenesis of cultured barley embryos, 110.
Vankat, John L.: (see Collins, S. L.), 290.
"Variation in lead margin with respect to climate in Costa Rica," 104.
Vaucheria longicaulis, 167.
Vernonia, chromosome numbers of, 80.
Vernonieae, chromosome numbers of, 79.
Vestiture and trichome types of Eastern North American *Quercus*, 313.
Viburnum acerifolum: in oak-dominated community of Forest Park, Queens County, New York, 135.
Villadia batesii, 208; *V. elongata*, 208.
Viola egglestonii, 177.
Virginia, herbaceous production in Great Dismal Swamp *Chamaecyparis* forest, 20.
Wagner, Warren L.: (see Zimmerman, M.), 117.
Walker, Mary M.: (Review), 233.
Westchester County, New York; Bronx River Park; A floristic survey of the vascular plants, 46.
Whigham, Dennis, Robert L. Simpson, and Mary A. Leck: The distribution of seeds, seedlings, and established plants of Arrow Arum (*Peltandra virginica* (L.) Kunth) in a freshwater tidal wetland, 193.
Whitaker, Thomas W.: (Review), 354.
Wild-rice (*Zizania texana* Hitchc.), reproduction and embryo development in, 29.
Zannichellia palustris, Alaskan distribution of, 346.
Zimmerman, Michael and Warren L. Wagner: A description of the woody vegetation of oak-hickory forest in the Northern Ozark Highlands, 117.
Zizania texana, Texas Wildrice, reproduction and embryo development in 29; sp., 195.